

INDEX

R16/1 = Rule 6, Slide 1

A

Action by give-way vessel	R16/1
Action by overtaking vessel	R13/35
Action by stand-on vessel	R17/1
Action contributing to collision avoidance	R8/5
Action to avoid collision	R8/1
Action to be taken by stand-on vessel	R17/24, R17/37
Additional lights for sailing vessels	R25/17
Additional signals for pair trawling	R26/76
Additional signals for purse seiners	R26/80
Advantages of taking all way off	R19/52
Advantages of two masthead lights	R23/17
Air-cushion vessel shall exhibit	R23/24
AIS	R7/7, R7/8
AIS - Use of	R5/22
Aldis lamp	R34/26
All available means	R7/3
All-round light	R21/20
Alteration of course	R19/39
Alteration of course alone	R8/21
Alteration of course and/or speed	R8/16
Alteration of course by stand-on vessel	R17/38
Anchor chain	R30/13
Anchored vessel - Definition	R30/4
Anchored vessel drifting away	R30/14
Anchored vessel less than 7 m. in length	R30/16
Anchored vessels	R30/1
Anchoring in a TSS	R10/91
Anti-clutter	R6/65
Application	R1/3
Application of TSS	R10/49
Appropriate traffic lane	R10/55
Assessing risk of collision	R8/15
Assessment of visibility	R6/75
Assumptions based on scanty information	R19/34
At all times	R5/4
Automatic control for bell and gong	R33/10
A vessel aground shall exhibit	R30/20
Avoid altering course to port	R17/54, R19/40

B

Back scatter lights	R6/27
Background lights	R6/26
Bad seamanship	R2/35, R2/36
Basic relative plotting	R7/47
Beam reaching	R12/14
Beam trawler	R26/15
Bell	R33/5
Bend in a channel or fairway	R9/53

Bottom gillnets	R26/38
Bottom longline	R26/41
Bottom pair trawling	R26/25
Broad reaching	R12/15
By all available means appropriate	R5/21

C

Cable layers in a TSS	R10/103
Canals	R9/17, R9/20
Categories of towing and pushing vessels	R24/7
Change of bearings	R7/61
Charterer	R2/14
Close reaching	R12/12
Close-quarters situation	R7/27, R19/32
Close-quarters situation apparently forward of the beam	R19/56
Closed hauled	R12/11
Combined lantern	R21/13, R25/16
Compass bearings or relative bearings	R7/13
Compliance with the Rules of Section I	R19/24
Composite unit	R24/25
Constraints by radar range	R6/61
Conduct of vessels in restricted visibility	R19/1
Control panel for sound equipment	R33/9
Crew - Main duties	R2/21
Crew	R2/20
Crossing a narrow channel or fairway	R9/37
Crossing a traffic lane	R10/66
Crossing sector	R15/6
Crossing situation	R15/1
Crossing situation - Action to be taken	R15/7
Crossing situation - Alternative action	R15/15
Crossing situation - Application	R15/3
Crossing situation - Avoid crossing ahead	R15/18
Crossing situation - Breach of the Rules	R15/35
Crossing situation - Dangerous situation	R15/30
Crossing situation - Narrow channel	R15/33
Crossing situation - Recommended action	R15/9
Crossing situation - Special situations	R15/26

D

Danger sector	R15/8
Dangers of navigation	R2/42
Deck and working lights	R36/3
Departure from the Rules	R2/52, R2/54
Details of sound signal appliance	R33/8
Detection by radar alone	R19/29, R19/35
Distress signals	Rule 37/1
Distress signals - At night	R37/7
Distress signals - By day	R37/2
Distress signals - By day or at night	R37/10
Distress signals - DSC System within GMDSS	R37/25
Distress signals - Dye marker	R37/16

Distress signals - EPIRB	R37/17
Distress signals - Floatable EPIRB	R37/20
Distress signals - MRCC Ostend	R37/26
Distress signals - Others	R37/14
Distress signals - SAR Sat	R37/27
Distress signals - Survival craft	R37/18
Distress signals - Survival craft Radar transponder	R37/19
Do not get distracted	R5/36
Do not impede the passage	R8/44
Draught in relation to water depth	R6/32
Dredgers, buoying vessels in a TSS	R10/102
Dredging	R3/54
Dredging and underwater operations with obstruction	R27/29
Drift nets	R26/36
Duties of the look-out man	R5/19
Duties of the officer of the watch (OOW)	R5/39

E

Earliest moment for permissive action	R17/23
ECDIS	R7/9, R10/64
Effectiveness of the action	R8/32
Efficiency of Radar	R6/51
Engines on stand-by	R19/22
Equipment for sound signals	R33/1
Exceptions to Rule 17	R17/5

F

Factors which determine maintaining a safe speed	R19/15
Fairway	R9/14
Fatigue	R5/16
Finally past and clear - Overtaking	R13/26
Fish traps	R26/47
Fishing gear	R26/4
Fishing methods	R26/5
Fishing vessels	R26/1
Fishing vessels - Signals to attract attention	R26/74
Fishing vessels in a TSS	R10/93
Fitness for duty	R5/26
Flag of convenience ships	R2/12
Flashing light	R21/23
Fog signal vessel aground - additional signal	R35/26
Fog signal - Additional for pilot vessels	R35/29
Fog signal apparently forward of the beam	R19/44
Fog signal composite unit	R35/21
Fog signal fishing vessel or fishing at anchor	R35/18
Fog signal last vessel towed if manned	R35/19
Fog signal minisweeper	R35/17
Fog signal power-driven vessel making way	R35/14
Fog signal power-driven vessel stopped	R35/14
Fog signal sailing vessel	R35/18
Fog signal vessel 12 m. or more but less than 20 m.	R35/27
Fog signal vessel aground	R35/25

Fog signal vessel at anchor	R35/22
Fog signal vessel at anchor - additional signal	R35/23
Fog signal vessel constrained by her draught	R35/17
Fog signal vessel not under command	R35/16
Fog signal vessel restricted in her ability to manoeuvre	R35/16
Fog signal vessel towing or pushing	R35/19
Fog signals - General table	R35/30
Foreground bearings or background bearings	R7/14
Four stages in a collision situation	R17/68

G

Genoa	R12/20
Gillnets	R26/36
Give-way vessel	R15/6, R15/8
Gong	R33/6
Good seamanship	R2/31, R2/32, R8/13
Green to green and red to red	R14/28

H

Head-on situation	R14/1, R14/3
Head-on situation - In case of doubt	R14/25, R14/26
Head-on situation - in a narrow channel	R14/12
Head-on situation. Passing on starboard side	R14/14
Head-on. Manoeuvring signals	R14/30
Head-on. Sailing vessels	R14/31, R14/32
Hovercraft, hydrofoil	R18/69
How to manifest your doubts	R17/20

I

Image presentation	R6/53
IMO Guidance on the application of Rule 18	R18/66
Impede	R8/44, R18/6, R18/7
Impede Not to-	R18/62
Impede - Vessels engaged in fishing	R9/35
Impede - Vessels less than 20m - Sailing vessels	R9/31, R9,32
Impeding Avoid -	R18/54
In ample time	R8/7, R8/10
In case of doubt	R7/67
In case of doubt call the Master	R5/33
In doubt whether or not overtaking	R13/23
In or near an area of restricted visibility	R19/6 R35/10
Inconspicuous vessel being towed	R24/44
Inshore traffic zones	R10/77
Instruments control lights in the wheelhouse	R20/11
Interaction	R6/33
Interaction - Overtaking	R13/38
Interaction - Vessel negotiating a bend	R6/48
Interaction - Vessels meeting	R6/42
Interaction - Vessels overtaking	R6/44
Interferences	R6/66

J

Jib	R12/19
Joining or leaving a traffic lane	R10/59

K

Keep out of the way versus Not to impede	R16/6
------------------------------------------	-------

L

Large vessels versus small vessels in a TSS	R10/101
Last minute action	R17/41, R17/42
Length of tow	R24/12
Length and breadth of vessel	R3/87
Lights and shapes	R20/1
Lights shall be shown	R20/3
Lights that may create confusion	R20/6
Limitation of vessels	R2/47, R2/50
Local Regulations	R1/5
Long range (what is -)	R8/12
Long range scale	R6/63
Long range scanning	R7/44

M

Main measures by give-way vessel	R16/2
Main points of sailing	R12/7, R12/10
Main types of rigging	R12/17
Mandatory Reporting Systems	R10/105
Mandatory Routeing System	R10/42
Manoeuvrability of the vessel	R6/12
Manoeuvring and warning signals	R34/1
Manoeuvring and warning signals - Additional light signals	R34/10
Manoeuvring and warning signals - Sailing vessels	R34/28
Master	R2/15
Master - Main responsibilities	R2/16, R2/18
Masthead light	R21/3
Maximum intervals - Sound signals	R35/13
May not impede	R16/7
Means to assess visibility	R19/13
Mid-water trawling	R26/24
Minesweeper shall exhibit	R27/40
Mizen	R12/21

N

Narrow channel	R9/22, R9,25
Narrow channels	R9/1, R9/4, R9/5
Nautical publications - TSS	R10/65
Navigate with extreme caution means:	R19/55
Navigational hazards	R6/29
Nearly reciprocal courses	R14/9, R14/18, R14/24
Neglect to comply with the Rules	R2/29
Normal action when risk of collision	R17/4
Not in sight of one another	R19/5

Not to impede	R16/6
Not using a TSS	R10/92

O

Objectives of routeing systems	R10/47
Open sea versus congested waters	R19/19
Otter trawl	R26/6
Overtaking	R9/47, R13/1, R13/3
Overtaking another vessel	R13/5
Overtaking signals	R34/14, R13/39
Owner	R2/6

P

Pair mid-water trawling	R26/26
Particular signals for fishing vessels	R26/81
Particularly sensitive sea area (PSSA)	R10/39
Passing a vessel at anchor	R30/17
Passing a vessel engaged in bottom trawling	R26/61
Passing a vessel engaged in pelagic trawling	R26/62
Passing at a safe distance	R8/29, R8/30, R8/33
Passing port to port - General consideration	R14/27
Performing the navigational watch	R5/29
Permissive action	R17/15, R17/17
Permissive action - Example	R17/26
Pilot boards the vessel	R29/13
Pilot vessel	R29/2
Pilot vessel at anchor	R29/15
Pilot vessel at anchor shall exhibit	R29/5
Pilot vessel made fast	R29/18
Pilot vessel shall exhibit	R29/4
Point of sailing	R12/6
Port and starboard tack rule	R12/25
Port tack	R12/8
Port tack rule for doubtful cases	R12/30
Possible actions by stand-on vessel	R17/3
Power-driven vessel	R3/3
Power-driven vessel cannot exhibit towing lights	R24/57
Power-driven vessel less than 12 m shall exhibit	R23/37
Power-driven vessel less than 20 shall exhibit	R23/10
Power-driven vessel less than 7 m, max speed 7 knots	R23/40
Power-driven vessel overtaking a power-driven vessel	R13/7
Power-driven vessel overtaking a sailing vessel	R13/11
Power-driven vessel towing	R24/19
Power-driven vessel towing, tow = or < 200 m	R24/8
Power-driven vessel towing, tow > 200 m	R24/14
Power-driven vessel underway	R18/12
Power-driven vessel underway shall exhibit	R23/3
Prevailing circumstances	R7/16
Privileges	R18/31
Propagation of sound	R35/12
Proper look-out	R5/12

Proper use of radar equipment	R7/25, R7/28, R7/29, R7/30
Purpose of action by stand-on vessel	R17/19
Purse seine	R26/30
Pushing ahead or towing alongside	R24/28

Q

R

Radar bearings	R7/15
Radar plotting	R7/46
Radar reflectors	R6/72
Radar(s) + ARPA (+ AIS)	R7/6
Radio communications	R2/26
Range of audibility	R32/3
Range rings	R7/35
Range scale	R6/62
Reasons for not complying	R17/16
Reciprocal and nearly reciprocal courses	R14/17
Reciprocal courses	R14/9, R14/20, R14/22, R14/23
Reciprocal courses - at night	R14/16
Reciprocal courses - by day	R14/15
Red or green curtains	R20/19
Relative motion versus true motion	R6/54, R7/3
Relative trails	R7/41
Relative vectors	R7/33
Relative vectors versus true vectors	R7/32
Relieving the watch	R5/17
Responsibilities between vessels	R18/1
Responsibility	R2/1
Restricted visibility	R3/89
Restricted visibility - Definition	R35/5
Ring net	R26/30
Risk of collision	R5/28, R7/1
Risk of collision	R7/17, R7/18, R7/19, R7/20, R7/21
Risk of collision is assumed to be passed	R19/58
Rivers	R9/17, R9/20
Rule 13 has precedence over Rule 18	R13/14
Rule 17 applies to the stand-on vessel	R17/6
Rule 17 does not apply	R17/13
Running	R12/16
S	
Safe distance	R8/29, R15/22
Safe speed	R6/1, R6/5, R19/14, R19/18
Safe speed versus moderate speed	R19/17
Saiking vessel overtaking a sailing vessel	R13/12
Sailing vessel	R3/23
Sailing vessel less than 7 m shall exhibit	R25/22

Sailing vessel overtaking a power-driven vessel	R13/9
Sailing vessel underway	R18/22
Sailing vessel underway shall exhibit	R25/4
Sailing vessels	R12/1
Sailing vessels in a TSS	R10/96
Sailing vessels of less than 20 m shall exhibit	R25/11
Sailing vessels overtaking	R12/31
Scanty radar information	R7/58
Scottish driftnet	R26/39
Seaplane	R3/36, R31/1
Seaplanes on the water	R18/38
Search and signalling lamp	R34/26
Seaworthiness	R2/11
Seine net	R26/27
Separation lines	R10/84
Separation zones	R10/84
Shapes	R20/13
Ship's head-up versus North-up	R6/55
Ships in convoy	R2/49
Short and prolonged blast	R32/4
Short range scale	R664
Short range scanning	R7/45
Side trawler	R26/9
Sidelights	R21/7
Signal to indicate astern propulsion	R34/5
Signals to attract attention	R36/1
Signals to attract attention - Searchlight	R36/2
Signals to indicate course alterations	R34/5
Slackening of speed	R8/35
Small vessels engaged in diving operations	R27/38
Small vessels, ice and other objects	R6/67
So far as possible	R18/57
Sound and light signals - Definitions	R32/1
Sound equipment - Vessel less than 12 m.	R33/7
Sound equipment - Vessel of 100 m or more	R33/6
Sound equipment - Vessel of 12 m. or more	R33/2
Sound equipment - Vessel of 20 m. or more	R33/5
Sound signals in restricted visibility	R35/1
Special circumstance	R2/44
Special Rules	R1/4
Species of fish	R26/3
Spinnaker sailing	R12/22
Squat	R6/37, R6/38
Stand-on vessel	R15/6, R15/8
Starboard tack	R12/9
State of visibility	R6/9
State of wind, sea and current	R6/28
Stern trawler	R26/13
Sternlight	R21/14
Stopping distance	R6/14
Stopping time	R6/14
Sub-surface longline	R26/43
Sunglasses _ polarized or not ?	R7/5

T

Taking all way off is necessary	R19/54
Terminations TSS	R10/89
Three-colour lantern	R25/12
Towing alongside	R24/58
Towing and pushing	R24/1
Towing light	R21/18
Traffic density	R6/11
Traffic separation schemes - Definitions	R10/19
Traffic separation schemes (TSS)	R10/1, R10/4
Trail or wake	R7/40
Trolling	R26/45
True trails	R7/42
True vectors	R7/34
Turning circle	R6/19
Twelve ships length rule	R17/48
Types of radar	R6/52
Types of vessels	R3/2

U

Underway	R3/84, R18/27, R23/12
Use of decklights	R20/8
Use of separation scheme	R10/54
Use of TSS	R10/53

V

Vessel	R3/1
Vessel aground	R3/83
Vessel at anchor	R3/81
Vessel at anchor - Look-out	R5/42
Vessel at anchor shall exhibit	R30/5
Vessel constrained by her draught	R3/78, R18/29, R23/2
Vessel constrained by her draught may exhibit	R28/3
Vessel engaged in fishing	R3/27, R3/28
Vessel engaged in fishing underway	R18/26
Vessel engaged in trawling shall exhibit	R26/51
Vessel entirely not under command	R3/40
Vessel made fast	R3/82
Vessel not under command	R2/38
Vessel not under command - NUC	R27/6
Vessel not under command shall exhibit	R27/7
Vessel or object being towed	R24/39
Vessel or object cannot exhibit lights	R24/54
Vessel partially not under command	R3/43
Vessel restricted in her ability to man. shall exhibit	R27/15
Vessel restricted in her ability to manoeuvre	R3/46, R27/14
Vessel towing and unable to deviate from her course	R27/24
Vessel under sail and propelled by machinery	R25/28
Vessel underway	R3/80
Vessel underway - Course estimation	R23/18
Vessels aground	R30/1, R30/19

Vessels anchored and aground - Categories	R30/3
Vessels engaged in fishing other than trawling	R26/63
Vessels in sight of one another	R3/88, R34/4
Vessels less than 20M in a TSS	R10/96
Vessels of less than 12 m. aground shall exhibit	R30/27
Vessels under oars shall exhibit	R25/24
Vessels with operational radar	R6/49
VHF	R7/10
VHF - Use of	R5/24
VHF in collision avoidance	R7/11
Visibility of lights	R22/1
Voyage planning	R7/24
VTS - Scheldemond	R10/116
VTS Reporting	R10/118

W

Warning signals	R34/22
When is a vessel overtaking	R13/20
When is visibility restricted	R19/12
Where to post the look-out man	R5/18
Whistle	R32/2, R33/2
WIG craft	R31/4
WIG craft shall exhibit	R23/31
WIG craft taking off, ...	R18/39
Windward and leeward rule	R12/28
Windward and leeward side	R12/23
Wing-in-ground craft (WIG)	R3/96

X

Y

Z